

KHAMADOV, I.B.

Forces of hydrodynamic interaction of automatic water gates and stream. Izv.AN Uz.SSR. Ser.tekh.nauk no.2:32-39 '61. (MIRA 14:3)

1. Institut vodnykh problem i gidrotekhniki AN UzSSR.
(Hydrodynamics)

KHAMALOV, I.B.

Hydrodynamic forces acting upon the automatic flat valve lock developed by IA.V.Bochkarev. Izv.AN Uz.SSR. Ser.tekh.nauk no.6:44-53 '61. (MIRA 14:12)

1. Institut vodnykh problem i gidrotekhniki AN Uzbekskoy SSR.
(Locks (Hydraulic engineering)) (Automatic control)

GARTUNG, A.A.; KHAMADOV, T.B.

Results of investigations of automatic radial tailwater gates.

Vop. glaz. no.22:76-85 '65.

(MIRA 18:6)

KHAMADOV, I.B.; KHAMALOVA, R.Sa.

History of the development of automatic water regulating systems,
their classification and selection. Vop. gidr. no.16:5-33 '63.
(MIRA 17:11)

KHAMADOV, I.B.; KHAMADOVA, N.Sa.

History of the development of automatic water regulating systems,
their classification and selection. Vop. gidr. no.16:5-33 '83.
(MIRA 1983)

KHAMAGANOV, I. M.

USSR/Farm Animals. Swine

Q-3

Abs Jour : Ref Zhur - Biol., No 19, 1958, No 88103

Author : ~~Khamaganov I.M.~~

Inst : Buryat-Mongol State Agricultural Experiment Station

Title : Experimenting With Swine Breeds for Industrial Crossing Under
Conditions of the Buryat-Mongol Autonomous SSR

Orig Pub : Tr. Buryat-Mong. gos. s.-kh. opytn. st., 1957, vyp. 2, 96-109

Abstract : The swine of the Siberian Northern and Siberian Dappled breeds imported from Novosibirskaya Oblast to Buryat-Mongolia had, until reaching the age of 20 months, a live weight 6-7 percent higher than the white-breed swine. Upon industrial crossing of these breeds the yield of hybrid piglets was 2.2-20.2 percent higher, and the live weight monthly increment 12.3-33.3 percent higher, than that of the white-breed piglets. On feeding, the hybrids reached a live weight of 150 kg 17 days earlier than the white-breed piglets. In the hybrid piglets, the mean daily increment in weight was 500-642 grams, the expenditure of feed per kg of

Card : 1/2

KHAMAGANOV, S.A.

Biology of the sharp-clawed gerbil (*Meriones unguiculatus*) in the
Torey lake region. Izv. Irk.gos.protnvochum. inst. 12:150-155 '54.
(TOREY REGION--GERBILS) (MIRA 10:12)

LEONT'YEV, A.N.; KHAMAGANOV, S.A.

Extermination of Brandt's field vole with poisoned grain.
Izv.Irk.gos.nauch.-issl.protivochnu.inst. 19:152-156
'58. (MIRA 13:7)

(Rodent baits and repellants)
(Field mice)

KHAMAGANOV, S.A.; SHAKHUROV, D.V.

Poisoned baits in the control of house rodents. Izv. Irk. gos.
nauch.-issl. protivochum. inst. 21:364-369 '59. (MIRA 14:1)
(RODENT BAITs AND REPELLANTS)

PASHKOV, B.M.; KARACHEVTSEVA, V.N.; ROBUSTOV, G.V.; KHAMAGANOVA, A.V.; ANDROSOVA, A.A.; BELYAKOVA, A.G.; GENKINA, G.B.; ZATURENSKAYA, P.O.; VYMEKAYEVA, M.A.; GOL'DENBERG, M.M.; BOLDYREVA, A.M.

Results of the treatment of syphilis in children according to standards of the Ministry of Health of USSR. Vest. vener., Moskva no.2:28-34 Mar-Apr 1953.
(CJML 24:3)

1. Pashkov, Karachevtseva, Robustov, and Khamaganova of Central Dermato-Venereological Institute (Director -- Candidate Medical Sciences N. M. Turanov); Androsova, Belyakova, Genkina, and Zaturenskaya of Hospital imeni Korolenko; Vymekayeva and Gol'denberg of Second Moscow Venereal Dispensary (Head -- Candidate Medical Sciences V. G. Bronshteyn); and Boldyreva of First Venereal Dispensary (Head -- K. A. Vinogradova).

KHAIKANOVA, A. V.

KHAIKANOVA, A. V.: "The significance of the complex investigation of pregnant women in the fight against congenital syphilis."
Min Health RSFSR. Ivanovo State Medical Inst. Moscow,
1956.
(Dissertation for the Degree of Candidate in Medical
Sciences)

So: Knizhnaya Letopis', No. 18, 1956

KHAMAGANOVA, A.V.

ROZENTUL, M.A., professor; VASIL'YEV, T.V., kandidat meditsinskikh nauk;
SOKOLIN, A.I., kandidat meditsinskikh nauk; MASLOV, P.Ye., kandidat
meditsinskikh nauk; PRORVICH, L.V., kandidat meditsinskikh nauk;
PAKMANOVA, N.V. Pakmanova, nauchnyy sotrudnik; KHAMAGANOVA, A.V.,
nauchnyy sotrudnik; PETRUSHEVSKIY, S.I., vrach

Treatment of syphilis with econovocillin. Sov.med. 20 no.7:24-28
Jl 156. (MLRA 9:10)

1. Iz otdela sifilidologii (zav. - prof. M.A.Rozentul) Tsentral'nogo
kozhno-venerologicheskogo instituta (dir. - dotsent N.M.Turanov)
Ministerstva zdavookhraneniya SSSR.

(SYPHILIS, ther.

procaine penicillin G with ekmolin)

(PENICILLIN, rel. cps.)

procaine penicillin G with ekmolin in ther. of syphilis)

EXCERPTA MEDICA Sec 13 Vol 13/2 Dermatology Feb 59

742. THE ROLE OF COMPREHENSIVE ANTE-NATAL CARE IN THE PRO-PHYLAXIS OF CONGENITAL SYPHILIS (Russian text) - Khamaganova A. V. Centr. Derm.-Venereol. Inst., Moscow - SBORN. NAUCHNO-PRAKT. VOPR. DERM. I VENER. (Ivanovo) 1957 (49-55)

109 pregnant women denying any history of syphilis but with positive serological reactions were investigated. Syphilis ignorata was diagnosed in 97 cases, late congenital syphilis in 2, early stage 2 syphilis in one and recurrency of stage 2 syphilis in one case. In 8 cases positive serological reactions were non-specific and became reversed after delivery (of healthy infants). Out of 97 untreated cases of syphilis ignorata one gave birth to a macerated full-term foetus (no specific autopsy findings), two aborted spontaneously, in 20 cases pregnancy was terminated and 74 gave birth to live children. Forty-three of the latter showed signs of early congenital syphilis. Only 6 out of 20 foetuses and placentae aborted during the 5-6th month of pregnancy (mothers with untreated syphilis) showed changes such as periphlebitis, granulomata and diffuse infiltration. Five out of 8 placentae (with infants showing signs of early congenital syphilis) showed marked non-specific histological changes. No specific findings were discovered on histological examination of placentae in the case of women diagnosed as recurrent syphilis stage 2 and late congenital syphilis. In 6 out of 9 cases of infants showing signs of early congenital syphilis, advanced pathomorphological specific changes were discovered in the placenta. Round-cell perivascular infiltration of the umbilical cord was found in 3 cases of early congenital syphilis. Mashkilleison Jr - Moscow (S)

PASHKOV, B.M., prof.; ANDROSOVA, A.A.; BELIAKOVA, A.G.; GENKINA, G.B.;
ZATURENSKAYA, P.O.; KHAMAGANOVA, A.V.

Results of treating congenital syphilis according to the 1949
treatment system and reasons for switching to the 1954 system [with
summary in English]. Vest.derm. i ven. 32 no.1:37-42 Ja-F '58.
(MIRA 11:4)

1. Iz otdela sigilidologii (zav.-prof. M.A.Rozentul) Tsentral'nogo
kozhno-venerologicheskogo instituta (dir.-dotsent N.M.Turanov)
Ministerstva zdavookhraneniya SSSR, iz Klinicheskoy bol'nitsy imeni
Korolenko (glavnyy vrach-zasluzhennyy vrach RSFSR V.P.Nikolayev)
i kafedry kozhnykh i venericheskikh bolezney (zav.-prof. B.M.Pashkov)
Moskovskogo meditsinskogo stomatologicheskogo instituta (dir.-dots.
G.N.Beletskiy)

(SYPHILIS, CONGENITAL, ther.
in Russia (Rus))

KHAMAGANOVA, A.V.

ROZENTUL, M.A., prof.; VASIL'YEV, T.V., kand.med.nauk; MASLOV, P.Ye., kand.med.nauk; ROBUSTOV, G.V., kand.med.nauk; SOKOLIN, A.I., kand.med.nauk; BAKHMANOVA, N.V., nauchnyy sotrudnik; KHAMAGANOVA, A.V., nauchnyy sotrudnik; PETRUSHEVSKIY, S.I., vrach; TUNGUSKOVA, A.P., vrach; VELICHKO, E.V., vrach; GLOBUS, R.E., vrach; GOL'DENBERG, M.M., vrach.

Combined treatment of syphilis with several antibiotics [with summary in English]. Vest.derm. i ven. 32 no.1:42-47 Ja-F '58.
(MIRA 11:4)

1. Iz otdela sifilidologii (zav.-prof. M.A.Rozentul) TSentral'nogo kozhno-venerologicheskogo instituta (dir.-kandidat meditsinskikh nauk N.M.Turanov) Ministerstva zdravookhraneniya RSFSR. 2. Bol'nitsa imeni Korolenko (for Petrushevskiy)

(SYPHILIS, ther.

antibiotics in combination (Rus)

(ANTIBIOTICS, ther. use

syphilis, combined antibiotics (Rus)

ROZENTUL, M.A.; VASIL'YEV, T.V.; YEGOROV, G.I.; MASLOV, P.Ye.; KHAMAGANOVA,
A.V.; RAKHMANOVA, N.V.

Treatment of syphilis with bicillin-3. Antibiotiki 6 no.9:36-41
S '61. (MIRA 15:2)

1. Otdel sifilidologii Tsentral'nogo kozhno-venerologicheskogo instituta
Ministerstva zdravookhraneniya RSFSR.
(SYPHILIS) (BICILLIN)

ROZENTUL, M.A., prof.; VASIL'YEV, T.V., kand.med.nauk; YEGOROV, G.I.,
kand.med.nauk; MASLOV, P.Ye., kand.med.nauk; KHAMAGANOVA, A.V.,
kand.med.nauk; RAKHMANOVA, N.V.

Treatment of syphilis with bicillin-1 and bicillin-3. Sov.med.
25 no.2:105-109 F '61. (MIRA 14:3)

1. Iz otdela sifilidologii (zav. - prof. M.A.Rozentul) TSentral'nogo
kozhno-venerologicheskogo instituta (direktor - kand.med.nauk N.M.
Turanov) Ministerstva zdravookhraneniya RSFSR.
(SYPHILIS) (PENICILLIN)

ROZENTUL, M.A., prof.; VASIL'YEV, T.V.; YEGOROV, G.I.; MASLOV, P.Ye.;
RAKHMANOVA, N.V.; EHAMAGANOVA, A.V.; SHOGINA, M.P.

Bicillin-3 in the treatment of syphilis. Vest.derm.i ven.
no.11:35-39 '61. (MIRA 14:11)

1. Iz otdela sifilidologii (zav. - prof. M.A. Rozentul) Tsentral'-
nogo nauchno-issledovatel'skogo kozhno-venerologicheskogo insti-
tuta (dir. - dotsent N.M. Turanov) Ministerstva zdravookhraneniya
RSFSR.

(SYPHILIS) (BICILLIN—THERAPEUTIC USE)

KHAMAGANOVA, A.V., mladshiy nauchnyy sotrudnik; ANDROSOVA, A.A. ordinator

Acrodermatitis enteropathica. Vest.derm.i ven. no.8:67-71 '61.

(MIRA 15:5)

1. Iz otdela sifilidologii (zav. - prof. M.A. Rozentul) Tsentral'nogo nauchno-issledovatel'skogo kozhno-venerologicheskogo instituta (dir. - kand.med.nauk N.M. Turanov) Ministerstva zdravookhraneniya RSFSR i Bol'nitsy imeni Korolenko (glavnyy vrach A.I. Pustovaya).

(SKIN—DISEASES)

(EXTREMITIES (ANATOMY)—DISEASES)

ROZENTUL', M.A., prof.; STUDNITSIN, A.A., prof.; MASIOV. P.Ye., starshiy nauchnyy sotrudnik; RAKHMALEVICH, Ye.M., ~~starshiy nauchnyy~~ sotrudnik; KHAMAGANOVA, A.V., mladshiy nauchnyy sotrudnik; IVANOVA, E.K., mladshiy nauchnyy sotrudnik; KHRUNOVA, A.P., mladshiy nauchnyy sotrudnik; BEL'YAKOVA, A.G., vrach; ZATURENSKAYA, P.I., vrach

Pathogenesis and treatment of eczema and neurodermatitis in children. Vest.derm.i ven. no.12:3-8 '61. (MIRA 15:1)

1. Iz Tsentral'nogo nauchno-issledovatel'skogo kozhno-venerologicheskogo instituta (dir. - kand.med.nauk N.M. Turanov) i iz Bol'nitsy imeni Korolenko (glavnyy vrach A.I. Pustovaya).
2. Bol'nitsa imeni Korolenko (for Bel'yakova i Zaturenskaya).
(ECZEMA) (SKIN--DISEASES)

KHAMAGANOVA, A.V.; ANDROSOVA, A.A.

Duhring's herpetiform dermatitis and its treatment in children.
Vest. derm. i ven. 37 no.2:39-43 F'63. (MIRA 16:10)

1. Iz otdela sifilidologii (zav. - prof. M.A.Rozentul) Tsentral'nogo kozhno-venerologicheskogo instituta (dir. - kand. med. nauk N.M.Turanov) Ministerstva zdravookhraneniya RSFSR i detskogo kozhnogo otdeleniya Bol'nitsy imeni V.G.Korolenko (glavnyy vrach A.I.Pustovaya).

*

KHAMAGANOVA, A.V.; ZATURENSKAYA, P.I.

Scleroderma in childhood. Vest. dermat. i ven. no.1:41-45 '65.

(MIRA 18:10)

1. Otdel sifilidologii (zav.- prof. M.A. Rozentul) Tsentral'nogo
nauchno-issledovatel'skogo kozhno-venerologicheskogo instituta
(dir.- dotsent N.M. Turanov) Ministerstva zdravookhraneniya
RSFSR i Gorodskaya klinicheskaya bol'nitsa imeni Korolenko
(glavnyy vrach A.I. Pustovaya), Moskva.

LEONT'YEV, A.N.; KHAMAGANOV, S.A.

Poisoned bait in the control of the Mongolian gerbil in south-eastern Transbaikalia. Izv.Irk.gos.nauch.-issl.protivochum.inst.
16:232-238 '57. (MIRA 13:7)

(TRANSBAIKALIA--GERBILS)
(RODENT BAITS AND REPELLENTS)

S/080/60/033/007/022/024/XX
D270/D304

AUTHORS: Titova, I.Ye. and Khamaganova, T.
TITLE: The effect of adding small amounts of lead on the corrosion resistance of electrolytic zinc
PERIODICAL: Zhurnal prikladnoy khimii, v. 33, no. 1, 1960, 1591-1594

TEXT: This report was to fill a gap in literature by investigating how the addition of small amounts of lead affected the corrosion resistance of electrolytic zinc. Previous results had been contradictory. The present experiments were conducted in acid and alkali media since both zinc and lead are among those metals stable in neutral solutions, but not in acid or alkali solutions. Specimens were prepared from pure electrolytic zinc, mark Ts-0, with addition of from 0.08 to 1.35% by weight of lead, from zinc plus 0.94% lead, 0.2% aluminum and 0.44% tin and from pyrometallurgic zinc, mark Ts-4. Polarization curves were plotted and weight and volume measurements taken. The method was analogous to that of I.Ye. Titova

Card 1/3

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721720011-0"

The effect of adding...

S/080/60/033/007/022/024/XX
D270/D304

and G.I. Chufarov (Ref. 5: ZhFKh, 29, 502 (1955)). The specimens were previously cleansed of fat by a spirit-ether mixture, washed and dried. Temperature $18 \pm 0.5^\circ$. Addition of from 0.08 to 1.35% by weight of lead increased corrosion resistance in solid media and, to a much greater extent, in alkaline media. Addition of 0.08% lead lowered considerably the speed of dissolution and this only rose slightly when the lead content exceeded 0.58%. Results by weight and by volume in acid media agreed but showed considerable discrepancy in alkali media. Thus the average dissolution speed in N KOH solution, calculated by weight, is $0.465 \cdot 10^{-6}$ g/cm²/min, and by volume $0.085 \cdot 10^{-6}$ g/cm²/min. This is because the corrosion speed depends not only on the kinetics of hydrogen production but also on the reduction of oxygen. Addition of 0.94% Pb + 0.2% Al + 0.44% Sn increased the corrosion speed under acid conditions and had no effect under alkaline conditions. Addition of 0.08% by weight of lead shifted the zinc potential in a positive direction but further addition of lead reversed this because hydrogen formation at the cathode slowed down, as polarization curves confirm. Cathode polarization of zinc increased with increase in lead content,

Card 2/3

The effect of adding...

S/080/60/033/007/022/024/XX
D270/D304

while anode polarization was almost unaffected. This increase in cathode polarization was less under alkaline conditions. Conclusions: 1) Corrosion resistance of electrolytic zinc was increased in acid and alkaline conditions by additions of from 0.08 to 1.35% by weight of lead; 2) The effect depends on the cathode formation of hydrogen and was greater in acid conditions; 3) A eutetic composition of Zn-Pb has the greatest corrosion resistance. There are 3 figures and 8 references: 7 Soviet-bloc and 1 non-Soviet-bloc. The reference to the English-language publication reads as follows: Heinz Bablik, Galvanizing (Hot-Dip). 3^d ed., London, W.C.2. 187 (1950).

ASSOCIATION: Ural'skiy gosudarstvennyy universitet imeni Gor'kogo
(Ural State University im. Gor'ky)

SUBMITTED: December 21, 1959

Card 3/3

KHAMAGORTSIYAN, V.N.
VARTANYAN, S.A.; KHAMAGORTSIYAN, V.N.; MESROPYAN, E.G.

The chemistry of vinylacetylene. Report No.3: Aminomethylation
of methyl- β -alkoxyethylketones. Izv. AN Arm. SSR. Ser. khim.
nauk 10 no.1:65-70 '57. (MIRA 10:9)

1. Khimicheskiy institut Akademii nauk Armyanskoy SSR.
(Pentanone) (Methylation)

KHAMAGUSHKIN, V.V.

Precipitation reaction method in brucellosis. Mikrobiol. zhur. 19
no.1:63-64 '57. (MLBA 10:7)

(BRUCELLOSIS, diagnosis,
precipitation reaction (Uk))

~~KHAMAGUSHKIN, V. V.~~

Methodology for determining the toxigenicity of diphtheria microbes
in vitro. Lab. delo 5 no.3:39-42 My-Je '59. (MIRA 12:6)

1. Iz Chitinskogo instituta epidemiologii, mikrobiologii i gigiyeny
(dir. - kand. med. nauk B.V. Novokreshchenov)
(COHNEBACTERIUM DIPHTHERIA)

ZARIDZE, G.M.; TATRISHVILI, N.F.; KHAMALADZE, I.I.

Metasomatic origin of certain carbonate rocks in upper Cretaceous
volcanogenic formations in southeastern Georgia. Soob.AN Gruz.SSR
25 no.2:145-150 Ag '60. (MIRA 13:11)

1. AN GruzSSR, Geologicheskii institut. Predstavleno chlenom-
korrespondentom Akademii P.D.Gamkrelidze.
(Georgia--Rocks, Carbonate)

KHAMADOV, I.B.

· Flow of water from under gates with streamlined contours of the bottom lining or deflectors. Vop. gidr. no.3:84-96 '61.

(MIRA 15:4)

(Sluice gates)

KHAMADOV, I.B.

Laboratory confirmation of the calculation of hydrodynamic forces
acting on automatic gates. Vop. gidr. no.3:97-103 '61.
(MIRA 15:4)

(Sluice gates)

4167. MICROFLAME BURNING. Korneev, V. L. and Khamalyan, D. M.
(Prom. Energetika (Industr. Pwr), 1948, vol. 5, (1), 3-7; abstr.
in Chem. Abstr., 1948, vol. 42, 7507).

The time-space heat intensity Q increases with decreasing diameter of burner i.e. with correspondingly increasing surface area of the flame cone per unit volume. The inverse proportionality between Q and the diameter holds for both laminar and turbulent flow. A C6H6-air mixture, in a burner of 4 m.m. diameter, linear velocity 0.475 m./sec., Q attained 1620×10 k.cal./cu.m./hr. In a burner of 50 m.m. diameter at 0.855 m./sec., the cone had a length of 84 m.m., Q 88.5×10^6 k.cal./cu. m./hr. at 15.15 m./sec., whereas on removal of the spiral the flame was interrupted even at 1 m./sec. The so-called flameless combustion in layers of refractory materials is nothing else than microflame burning. The increased Q results from splitting into a multitude of small cones, not from a catalytic effect of the ceramic material. (L).

IVANOV, V.; MILENIKOV, K.; TSOLOV, N.; ALEKSANDROVA, E.; TSANKOV, I.; MECHKUNOV, K.;
KHAMAMDZHIEV, K.; BALABANOVA, V.; KOSTOV, D.; KIS'OVA, A.

Results of the treatment of epilepsy using E. I. Karmanova's method.
Suvrem. med., Sofia 9 no.7:49-56 1958.

1. Iz NIPI i Okruzhnite psikho-nevrologichni dispanseri vuv Vratsa,
Ruse, Khaskovo i Stara Zagora.

(EPILEPSY, ther.

sodium bromide with calcium chloride & adenoside (Bul))

(BROMIDES, ther. use

sodium bromide in epilepsy, with calcium chloride & adenoside
(Bul))

(ADONIS, ther. use,

epilepsy, with sodium bromide & calcium chloride (Bul))

(CHLORIDES, ther. use,

calcium chloride in epilepsy, with sodium bromide & adenoside
(Bul))

KHAMANDIKOV, Ye.; POLONSKIY, G.; MISHNEV, G.; KALGANOV, P.

Regulate the accounting and control operations of financing
and issuing long-term credit. Den. i kred. 18 no. 6:51-59
Je '60. (MIRA 13:6)

1. Kreditnyy inspektor Kalininskoy oblastnoy kontory Gosbanka
(for Khamandikov). 2. Glavnyy bukhgalter Kabardino-Balkarskoy
respublikanskoy kontory Gosbanka (for Mishnev). 3. Revizor Smolen-
skoy oblastnoy kontory Gosbanka (for Kalganov).
(Credit)

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721720011-0

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721720011-0"

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721720011-0

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721720011-0"

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721720011-0

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721720011-0"

KHAMAR, M.

Composition and distribution of the rodent fauna in the Rumanian
People's Republic. Nauch.dokl.vys.shkoly;biol.nauki no.4:50-56
'58. (MIRA 11:12)

1. Rekomendovana kafedroy zoologii pozvonochnykh Moskovskogo
gosudarstvennogo universiteta imeni M.V.Lomonosova.
(Rumania--Rodentia)

ALMESHAN, Kh.; KHAMAR, M.

Distribution of the raccoon dog (*Nyctereutes procyonoides* Cray) and muskrat (*Ondatra zibethica* L.) in the Rumanian People's Republic [with summary in English]. Zool. zhur. 37 no.9:1417-1418 S '58.
(MIRA 11:10)

1. Kafedra zoologii pozvonochnykh zhivotnykh biologo-pochvennogo fakul'teta Moskovskogo gosudarstvennogo universiteta.
(Rumania--Dogs) (Rumania--Muskrats)

KHAMAR, M.: Master Biol Sci (diss) -- "An ecological-faunistic sketch of the rodents of the Rumanian People's Republic". Moscow, 1959. 17 pp (Moscow Order of Lenin and Order of Labor Red Banner State U im M. V. Lomonosov, Soil-Biol Faculty, Chair of the Zool of Vertebrates), 150 copies (KL, No 8, 1959, 136)

KHAMAR, M.

Division of the Rumanian People's Republic into zoogeographical regions. Vop.geog. no.48:135-149 '60.

(MIRA 13:7)

(Rumania--Zoogeography)

-KHAMAR, M., kandidat biologicheskikh nauk

On the systematics, propagation and ecology the house mouse *Mus musculus spicilegus* Petenyi, 1882 in Rumania. Rev biol 5 no.3: 207-219 '60. (EEAI 10:4)
(MICE)
(RUMANIA--MUS MUSCULUS)

LANE, A.B.; KHAMAR, M.

Gamasid mites (Gamasoidea) parasitic on rodents and insectivores
of the Rumanian People's republic. Nauch. dokl. vys. shkoly; biol.
nauki no. 1:21-28 '61. (MIRA 14:2)

1. Rekomendovana kafedroy entomologii Moskovskogo gosudarstvennogo
universiteta im. M.V. Lomonosova i laboratoriyey zashchity
rasteniy Akademii nauk Rumynskoy Narodnoy Respubliki.
(RUMANIA--MITES) (PARASITES--RODENTIA) (PARASITES--INSECTIVORA)

TASKAYEVA, Ye.Z.; KHAMAR, M.

Fleas (Aphaniptera) of the Rumanian People's Republic. Nauch.
dokl. vys. shkoly; biol. nauki no.1:12-16 '62. (MIRA 15:3)

1. Rekomendovana kafedroy entomologii Moskovskogo gosudarst-
vennogo universiteta im. M.V. Lomonosova i Laboratoriyey
zashchity rasteniy AN Rumynskoy Narodnoy Respubliki.

(RUMANIA--FLEAS)

GOLUB, A.M. [Golub, A.M.], kand.khim.nauk; KHAMARDYUK, K.A.

Selenium. Nauka i zhyttia 8 no.10:13-15 '58. (MIRA 13:4)
(Selenium)

KHAMARDYUK, Ye.A.

Ukrainian chemical nomenclature. Ukr.khim.zhur. 24 no.6:809-810
' 58. (MIRA 12:3)

1. Derazhnyanskaya srednyaya shkola.
(Chemistry--Nomenclature)

KHAMARMER, I.P.; NEPOROZHNYI, P.S., inzh., red.; IL'GISONIS, V.K.,
red.; ZABRODINA, A.A., ~~tekhn.~~ red.

[Operator-foreman of the Stakhanov crew of the SE-3
excavator, N.P. Kachanov] N.P. Kachanov mashinist-brigadir
Stakhanovskoi brigady ekskavatora SE-3. Leningrad, Gos-
energoizdat, 1953. 21 p. (MIRA 15:9)
(Excavating machinery)

KHAMARMER, I.P.; NEPOROZHNIY, P.S., inzh., red.; ZABRODINA, A.A.,
tekh. red.

[K.N.Denisenko; concrete workers' brigade leader for the
construction of hydroelectric power stations] K.N.Denisenko;
brigadir betonshchikov na stroitel'stve gidroelektrostantsii.
Leningrad Gosenergoizdat, 1953. 23 p. (MIRA 16#)
(Concrete construction)
(Hydroelectric power stations)

IL'IN, Vladimir Isaakovich; BAR. KOLYVSKIY, L.A., nauchn.
red.; REYKHERT, L.A., ved. red.

[Technical supervision of the construction of pipelines]
Tekhnicheskii nadzor na stroitel'stve magistral'nykh
truboprovodov. Leningrad, Izd-vo "Nedra," 1964. 106 p.
(MIRA 17:6)

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721720011-0

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721720011-0"

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721720011-0

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721720011-0"

3

Tertiary triatomic alcohols of the acetylacetic series and
their transformations IV Dehydration of 1,1,1-tri-
methyl-4-heptyne 2,3,6-triol
Khamatov

of 1,1,1-tri-4,7,8-trimethyl-4-heptyne-2,3,6-triol
CH₃C(OH)(Me)₃ 1,1,1-tri-4,7,8-trimethyl-4-heptyne-2,3,6-triol
20 g H₂SO₄ 2 hr on steam bath at 100°C gave 1,1,1-tri-4,7,8-trimethyl-4-heptyne-2,3,6-triol
CH₃C(OH)(Me)₃ 1,1,1-tri-4,7,8-trimethyl-4-heptyne-2,3,6-triol
20 g I with 7 g H₂SO₄ and 0.1 g pyrogallol at 100°C for 4 hrs. 11-12 g
mixture gave 62% II. 1.25 g heated with 0.08 g p-MeC₆H₄
SO₃H and 0.1 g pyrogallol at 120°C for 1.4 min gave 60% II.
Careful distn. of the crude II obtained from such expts. gave
some 4-5% CH₃C(OH)(Me)₃ CH₃C(OH)(Me)₃ CH₃C(OH)(Me)₃ gave
1.5043, d₄ 0.9007, and the rest was pure II, b_p 75.4°C/0.5
1.4898, d₄ 0.9007. Oxidation of the former with alk.
KMnO₄ gave Me₂CO, HCO₂H, AcOH, and CO₂.
Similar oxidation of II gave Me₂CO, HCO₂H, AcOH,
(CO₂)₂, and Me₂C(OH)Ac. Hydrogenation of II over
PtO₂ required 3 mols H and gave the satd analog, b_p 67.8°C
m 42.3°C (n_D²⁰ 1.4522, d₄ 0.9161, in supercooled condition
which, heated with 25% H₂SO₄ 4 hrs. at 80°C, yielded
largely AcCMe₂CH₂CH₂CH₂Me, b_p 0.5-7°C, d₄ 0.8303, n_D²⁰
1.4200 (semicarbazone, m. 132.3°C, 3,4-dinitrophenylhydra-
zone, m. 112-113°C) (oxidation with alk. NaOBr gave CHBr₃)
and a smaller amt. of Me₂C(OH)CH₂CH₂Me (Me₂C(OH)CH₂CH₂Me
b_p 50.7°C, d₄ 0.7923, n_D²⁰ 1.4150) (semicarbazone m.p. 111.5°C).

AF
XX

①

Inst. Chem., AS Tadzhik SSR

KHAMATOV, A. Kh.

USSR/ Chemistry Conversion processes

Card : 1/1 Pub. 151 - 19/33

Authors : Nikitin, V. I., and Khamatov, A. Kh.

Title : Tertiary tri-atomic alcohols of the acetylene series and their conversions.
Part 5.- Dehydration of 3,4,7-trimethyloctine-5-triol-3,4,7

Periodical : Zhur. ob. khim. 24/8, 1390 - 1397, August 1954

Abstract : The effect of dehydrating media on 3,4,7-trimethyloctine-5-triol-3,4,7
and the product formed therefrom, are described. The dehydration process
is followed by separation of two H₂O atoms and formation of a certain
amount of diene alcohol. Other dehydration products of tertiary tri-
atomic acetylene alcohols, are listed. Five USSR references (1940 - 1953).

Institution : Acad. of Sc. Tadzhik-SSR, Institute of Chemistry

Submitted : April 22, 1954

KHAMATOV, A. KH.

KHAMATOV, A. KH. - "Dehydration of tertiary triatomic alcohols of the acetylene series". Stalinabad, 1955. Acad Sci USSR. Department of Chemical Sciences. Inst of Organic Chemistry. (Dissertation for the Degree of Candidate of Chemical Sciences.)

SO: Knizhnaya Letopis' No. 46, 12 November 1955. Moscow

KHANNAY, A. KH.

2nd. Khann. AS T. p. 1. CRP

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721720011-0

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721720011-0"

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721720011-0

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721720011-0"

5(3)

AUTHORS:

Nikitin, V. I., Zegel'man, A. B., Khamatov, A. Kh. SOV/79-29-6-28/72

TITLE:

Tertiary Trivalent Alcohols of the Acetylene Series and Their Transformations (Tretichnyye trekhatomnyye spirty atsetilenovogo ryada i ikh prevrashcheniya). XIII. Hydration of 2,3,6-Tri-methyl-heptine-4-triol-2,3,6 (XIII. Gidratatsiya 2,3,6-trimetil-geptin-4-triola-2,3,6)

PERIODICAL:

Zhurnal obshchey khimii, 1959, Vol 29, Nr 6, pp 1905 - 1909 (USSR)

ABSTRACT:

In addition to the previous paper (Ref 1) this paper presents the results obtained by hydration of 2,3,6-trimethyl-heptine-4-triol-2,3,6 (I), the simplest representative of the triols of this series. This hydration was carried out at about 40°; only one reaction product, compound (II), was separated. Intermediates could not be obtained, in contrast to the hydration of 3,4,7-trimethyl-nonine-5-triol-3,4,7 described in the previous paper (Ref 1). The authors stated that the same transformation scheme which applies to the nonine triol mentioned also, holds for (I). In the present case, however, the separation of a water molecule from (II) took place only with the action of dilute sulfuric acid on it at about 100°. This separation occurs in the oxy-isopropyl group which is situated at the tetrahydropyrany-

Card 1/2

Tertiary Trivalent Alcohols of the Acetylene Series and Their Transformations. XIII. Hydration of 2,3,6-Trimethyl-heptene-4-triol-2,3,6 SOV/79-29-6-28/72

lidene ring (Ref 1). The end product is compound (III) which under the given conditions further undergoes a partial hydrolytic splitting-up, and yields compound (IV). The composition of compounds (III) and (IV) was confirmed by analytical data, and the structure was proved by oxidation with potassium permanganate. By oxidation of both compounds one and the same product was obtained: acetone and the formic, acetic, oxalic and α -oxyisobutyric acid. Hydrogenation of (II) on platinum oxide does not take place in methanol but more readily in acetic acid. 2 moles of hydrogen were taken up with the first mole being used only for the substitution of a hydroxyl group. The authors assume that by hydrogenation of (II) the hydroxyl group which is situated in the oxy-isopropyl radical at the tetrahydropyranylidene ring is reduced, which process yields compound (V). The second hydrogen molecule hydrogenates the double bond between both cycles and yields compound (VI). There are 2 Soviet references.

ASSOCIATION: Institut khimii Akademii nauk Tadzhikskoy SSR (Institute of Chemistry of the Academy of Sciences, Tadzhikskaya SSR)
SUBMITTED: May 23, 1957
Card 2/2

SHAFERSHTEYN, I.Ya.; BONDAR', V.V.; MALAKHOVA, S.I.; KHAMATOVA, A.T.;
TSAREVSKAYA, Ye.A.

New method for the determination of nitrates. Dokl. AN Tadzh. SSR
1. no.2:11-15 '58. (MIRA 12:1)

1. Tadzhikskiy sel'skokhozyaystvennyy institut. Predstavlene akademi-
kom AN Tadzhikskey SSR S. Yusupovoy.
(Soils--Analysis) (Nitrates)

34951

S/205/62/002/001/002/010
D268/D302

27.2400

AUTHORS: Mochalina, A.S., and Khamayde, L.L.

TITLE: The effect of radioprotective substances on the sorption characteristics of irradiated animal tissue

PERIODICAL: Radiobiologiya, v. 2, no. 1, 1962, 121 - 124

TEXT: The dynamics of change under the influence of radioactive colloidal Ag^{110} in sorption characteristics were studied in the tissue of 3 groups of white mice (weight 21 - 25 g): 1) Non-irradiated; 2) exposed to Co^{60} gamma-radiation at 650 r; and 3) irradiated at 3 and 10 min. after radioprotective beta-mercaptoethylamine and cysteine given intraperitoneally at 3 and 10 mg/mouse. Ag^{110} colloidal solution at 0.2 ml. with an activity of 2 mc/g was given intravenously, and the mice killed 2 hours later. Sorption characteristics in tissue from liver, spleen, kidneys, small intestine, muscle and of blood were determined by the extent of radio-active Ag^{110} accumulation. Experiments with the intravenous introduction of Ag^{110} showed that the main body of colloids disappeared from the
Card 1/4

The effect of radioprotective substances. S/105/62/002/001/002/010
D268/D302

blood in the first 2 hours after inoculation due to active sorption by organs and tissues. Study of the distribution of Ag^{110} in the organs and tissue of healthy mice showed highest accumulation in liver, and then in kidneys, spleen, intestine, and muscle tissue in descending order. 2 hours after irradiation there was a 7 - 10 % increase in sorption in liver, spleen, and kidney tissue. In liver it rose to a maximum of 36 % over normal at 2 days, and in spleen at 24 hours to 2 %, declining subsequently, but remaining above normal. In mice given beta-mercaptoethylamine followed by irradiation, sorption in spleen and kidneys increased by 17 and 30 % respectively at 2 hours. In liver at 24 hours there was a slight increase, then returning to normal. In spleen at 2 and 3 days there was an increase. There was a gradual decline in the kidneys. At 2 hours Ag^{110} accumulation in the intestine increased markedly, with subsequent decline. Results showed that the introduction of beta-mercaptoethylamine and of cysteine before irradiation normalized the sorption characteristics of liver tissue. Colloidal Ag^{110} given to healthy mice intravenously was unequally distributed in the organs, with highest accumulation in liver, and less in spleen, kid-

Card 2/4

The effect of radioprotective ...

S/205/62/002/001/002/010
D268/D302

neys, intestines and other tissue. The sorption characteristics of these tissues increased in mice exposed to gamma-rays at a lethal dose, but differed according to the organs. The effects of protective agents containing SH-groups were studied as it was recognized that changes in sorption characteristics are connected with physical and chemical alteration in the biostructures. There was reduced sorption of radiocolloidal AG¹¹⁰ in liver tissue where beta-mercaptoethylamine was given before irradiation indicating the reversibility of the process. This did not occur in spleen probably due to the deep destructive changes. Cystein given 5 min. before Co⁶⁰ at 0.1 mc/g peritoneally reduced accumulation of the isotope in liver, pancreas, spleen, and other tissues in healthy mice which is attributed to the specific effect of SH-groups towards change in cell penetrability. In conclusion the introduction of prophylactic substances has a normalizing effect on the sorption characteristics of liver which in turn affects the reversibility of the denaturing processes in the irradiated organism and reduces radiation sickness. These substances also increase the separation of radioactive colloid through the liver, likewise reducing radiation sickness. There

Card 3/4

The effect of radioprotective ...

S/205/62/002/001/002/010
D268/D302

are 1 figure and 14 references: 5 Soviet-bloc and 9 non-Soviet-bloc. The 4 most recent references to the English-language publications read as follows: A. Bose, Internat. J. Rad. Biol., 1, 4, 383, 1959; W.A. Rambach, J.A.D. Cooper, H.L. Alt, H.H. Vogel, J.W. Clark, and D.L. Jordan, Radiation Res., 10, 2, 148, 1959; D.D. Ulmer, L.B. Perkins and J.G. Kereiakes, Radiation Res., 11, 6, 810, 1959; A. Ganz and M. Brucer, J. Lab. Clin. Med., 52, 1, 20, 1958.

SUBMITTED: July 12, 1961

X

Card 4/4

KHAMAYDE, L.L.; MOCHALINA, A.S.

Action of prophylactic substances in internal and external irradiation of animals. Trudy MOIP. Otd. biol. 7:127-131 '63.
(MIRA 16:11)

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721720011-0

100-100000 100(1)/100(1) Pa-L/Pb-L SSD/AFW/AM/AM

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721720011-0"

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721720011-0

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721720011-0"

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721720011-0

Page 1/3

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721720011-0"

MOCHALOVA, A.S.; KHAMAILOV, L.I.

Effect of radioprotective substances on the adsorption properties
of tissues of irradiated animals. Radiobiologiya 2 no.1:121-124
Ja '62 (MIRA 18:1)

ZIYAYEV, Sh.I. (Moskva); KHAMAYDE, L.L., kand. biol. nauk, nauchnyy rukovoditel'

Effect of intravenous introduction of colloidal Ag¹¹⁰ on the metastatic process in Brown-Pierce carcinoma following transplantation into the testis. Biol. eksp. biol. i med. 57 no.3: 92-93 Mr '64. (MIRA 17:11)

1. Predstavlena deystvitel'nyy chlenom AMN SSSR A.V. Lebatinskiy.

BIKKULOV, A.Z.; KHLESTKIN, R.N.; GROSHEV, B.M.; KHAMAYEV, V.Kh.;
ZARIPOV, A.G.

Use of petroleum toluene to obtain terephthalic acid. Neftoper.
i neftekhim. no.8:33-35 '63. (MIRA 17:8)

1. Ufimiskiy neftyanoy institut.

KHAMAZA, M.

Patriotic initiative of Donets miners. Sov. profsoiuzy 7 no. 7:30-
33 J1 '58. (MIRA 11:8)

1. Predsedatel' komiteta profsoyuza shakhty imeni Lutugina treats
"Chistyakovantratsit."
(Donets Basin--Coal mines and mining)

KHAMAZYUK, Vasilii Grigor'yevich; TARUSOV, B.N., prof., red.; IVANOV, I.A., red.; GOROKHOVA, S.S., tekhn. red.

[Practical work in general biophysics in eight parts] Praktikum po obshchei biofizike v vos'mi vypuskakh. Pod obshchei red. B.N.Tarusova. Moskva, Gos. izd-vo "Vysshaya shkola." No.5.
[Dosimetry of ionizing radiations] Dozimetriia ioniziruiushchikh izluchenii. 1961. 243 p. (MIRA 15:2)
(Radiation--Dosage) (Radiography)

YEVNEVICH, A.V., dotsent, kandidat tekhnicheskikh nauk; KHAMBIKOVSKIY, L.M.,
redaktor; BOLDYREVA, Z.A., tekhnicheskiiy redaktor

[Equipment of coal-preparation plants] Oborudovanie ugleobogatitel'-
nykh fabrik. Moskva, Ugletekhizdat, 1949. 153 p. (MLRA 7:9)
(Coal preparation)

SVINAREV, V.I.; KHAMAMOV, I.

Effect of the sowing rate and the contact among seeds during
their swelling and germination on the survival and yield of
Kochia geoparia (L) Schrad. Dokl. AN SSSR 148 no.2:456-458
Ja '63. (MIRA 16:2)

1. Vsesoyuznyy institut karakulevodstva, Samarkand. Predstavleno
akademikom V.N. Sukachevym.
(Kochia) (Phytosociology)

KHAMDI, A.M.; SKOBLO, A.I.; MOLOKANOV, Yu.K.

Determination of overflow head in plate columns. Izv.vys.ucheb.zav.;
neft' i gaz 5 no.12:53-57 '62. (MIRA 17:4)

1. Moskovskiy institut neftekhimicheskoy i gazovoy promyshlennosti
imeni akademika I.M.Gubkina.

KHAMDI, A.M.; SKOBLO, A.I.; MOLOKANOV, Yu.K.

Problems of the hydraulics of overflow apparatus in plate columns.
Khim.i tekhn.topl.i masel 8 no.2:31-37 F '63. (MIRA 16:10)

1. Moskovskiy institut neftekhimicheskoy i gazovoy promyshlennosti
im. akademika Gubkina.

KHAMDI, A.M.; MOLOKANOV, Yu.K.; SKOBLO, A.I.

Amount of the initial flow of liquid over a weir downcomer. Izv.
vys. ucheb. zav.; neft' i gaz 4 no.12:89-94 '61. (MIRA 16:12)

1. Moskovskiy institut neftekhimicheskoy i gazovoy promyshlennosti
imeni akademika Leningrad.

FATI, A.; KHAMDI, Kh.

Colloidal and chemical properties of humus composts.

Pochvovedenie no.8:88-92 Ag '61.

(MIRA 14:11)

1. Saratovskiy gosudarstvennyy pedagogicheskiy institut.
(Compost)

KHAMEDOV, F.K., master.

~~SECRET~~
Protection of electric meters against two-phase operation.
Energetik 4 no.8:24-25 Ag '56. (MLRA 9:10)
(Electric meters)

KHAMELYANSKIY, S.M.

Automatic stop device for tower cranes subjected to heavy wind loads. Suggested by S.M. Khamelianakii. Rats.i izobr.predl.v stroi. no.16:63-65 '60. (MIRA 13:9)

1. Po materialam Tsentral'noy nauchno-issledovatel'skoy laboratorii Ministerstva stroitel'stva BSSR, Minsk, ul. Karla Marksa, d.1.
(Cranes, derricks, etc.)

KHAMELYANSKIY, S.M., inzh.

Automatic catches for jib cranes. Bezop.truda v prom. 4 no.10;
23 0 '60. (MIRA 13:11)

1. Nauchno-issledovatel'skaya laboratoriya Ministerstva stroitel'stva BSSR.

(Cranes, derricks, etc.--Safety appliances)

KHAMETOV, B.G.

(Bari Ganiyevich)

"Effect of Fields of Intermittent Electric Current on Muscular Tissue and the Healing of Wounds," (Dissertation), Academic degree of Doctor in Biological Sciences, based on his defense, 20 November 1953, in the Council of the Inst of Physiology im. Pavlov, Acad Sci USSR.

Kuybyshev State Pedagogical Inst im. Kuybyshev.

● -M- 3,054,778, 2 Oct 57

AN-111E 100 13.6.

USSR / Human and Animal Physiology (Normal and Pathological).
Neuromuscular Physiology.

T

Abs Jour : Ref Zhur - Biologiya, No 13, 1958, No. 60682

Author : Khametov, B. G.

Inst : Gorno-Altayskiy State Pedagogical Institute

Title : The Indifferent Point in the Intrapolar Segment

Orig Pub : Uch. zap. Gorno-Altayskiy gos. ped. in-t, 1956, Vyp. 1,
131-136

Abstract : No abstract given

Card 1/1

At a distance of 20 cm from the anode

1/3

Country : USSR

Category :

Abs. Jour :

Author :

Institut. :

Title :

Orig Pub. :

Abstract : tial electrode which consisted of a wide strip of gauze was fastened to the skin. In controls the rapidity with which the wounds healed averaged 0.45 cm² in 24 hours, under the influence of the cathode (differential electrode-cathode) it averaged 0.58 cm², and under the influence of the anode 0.71 cm² in 24 hours, increasing and decreasing periodically in experimental animals but remaining stable in controls. The author explains the stimulating effect of the anodic current by

KHAMETOV, B.G.

Transformation of conditioned reflexes to time. Zhur. vys.
nerv. deiat. 11 no.6:1106-1111 N-D '61. (MIRA 15:3)

1. Chair of Human and Animal Physiology, Bashkir University,
Ufa.

(CONDITIONED RESPONSE)
(TIME PERCEPTION)

Category : USSR/General Problems - Problems of Teaching

A-3

Abs Jour : Ref Zhur - Fizika, No 2, 1957, No 2778

Author : Khamichenka, M.

Title : Study of Agricultural Engineering in the Teaching of Physics

Orig Pub : U dapamogy nastawniku, 1956, No 3, 72-78

Abstract : No abstract

Card : 1/1

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721720011-0

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721720011-0"

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721720011-0

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721720011-0"



FIGURE 1

1. 4 mol solution of BPHA in benzene 4 - 1 mol solution of BPHA in ben-
2. - extraction of 0.1 mol solution of BPHA with chloroform

L 3648-66 EWA(j)/EWT(m)/EWA(b)-2 RM

ACCESSION NR: AP5023645

UR/0296/65/090/004/0062/0065

AUTHOR: Allayarov, Kh.; Khamidkhodzhaev, S. A.; Korotkova, Ye. Ye.

TITLE: Some alkaloid bearing plants of Turkmen SSR

SOURCE: AN Turkm SSR. Izvestiya. Seriya biologicheskikh nauk, no. 4, 1965, 62-65

TOPIC TAGS: plant chemistry, alkaloid, chemical detection

ABSTRACT: In 1960 the authors investigated different rayons of Turkmen SSR to find alkaloid bearing plants. Some 213 species representing 29 families were found and analyzed by an acid method described in earlier studies. The presence of alkaloids was detected for the first time in 28 species and earlier findings were confirmed in 133 species. A hot chloroform method was used for quantitative analysis of the plant alkaloids. Qualitative and quantitative analysis results are presented in 2 tables. In the Serakhsk, Takhtabazarsk, Kaakhkinsk, Ashkhabadsk, and Kara-Kalinsk rayons of Turkmen SSR, large areas are covered with the following alkaloid bearing species: Peganum harmala L., Ammothamnus lehmannii Bge.,

Card 1/2

L 3648-66

ACCESSION NR: AP5023645

Salsoia richteri Karel., Lycium ruthenicum Murr., Fumaria parviflora
Lam., Leontice ewersmannii Bge., Haplophyllum pedicellatum Bge.,
Fritillaria raddiana Rgl., Merendera robusta Bge., Koeleria macrantha
Pall., and Delphinium semibarbatum Biebert. Orig. art. has: 2 Tables

ASSOCIATION: Institut khimii rastitel'nykh veshchestv AN UzSSR
(Institute for Chemistry of Plant Substances of AN UzSSR), Institut
khimii AN Turkmensoy SSR (Chemistry Institute of AN Turkmen SSR) 55

SUBMITTED: 10Feb64

ENCL: 00

SUB CODE: LS, GC

NR REF SOV: 007

OTHER: 000

leb
Card 2/2

KHAMIDULLIN, R.I.

Opisthorchiasis in Laishovo District, Tatar A.S.S.R. Kaz. med.
zhur. 41 no.3:29-32 My-Je '60. (MIRA 13:9)

1. Iz 1-y terapevticheskoy kliniki (zav. - prof. L.M.Rakhlin)
Kazanskogo gosudarstvennogo instituta dlya usovershenstvovaniya
vrachey im. V.I. Lenina.

(LAISHEVO DISTRICT--LIVER FLUKE)

~~KHAMIDOV, A., aspirant~~

Using radioactive radiation in investigating the effect of wheels
on soil. Mekh. i elek.sots.sel'khoz. no.4:49-53 '57.

(MIRA 12:4)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut mekhanizatsii
sel'skogo khozyaystva.
(Soil physics) (Tractors--Wheels)

KHAMIDOV, A.

Performance of the MTZ-2 "Belarus'" tractor at high speeds.
Trakt. 1 sel'khozmas. 8:16-19 Ag '58. (MIRA 11:8)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut mekhanizatsii
sel'skogo khozyaystva.
(Tractors--Testing)

KHAMIDOV, A., Candidate Tech Sci (diss) -- "Investigation of the efficiency of the Beloruss MTZ-5 tractor when operating with trailing and attached plows under field conditions". Moscow, 1959. 16 pp (Joint Academic Council of the All-Union Sci Res Inst of Mechanization of Agric and All-Union Sci Res Inst of Electrification of Agric) (KL, No 24, 1959, 142

KHAMIDOV, A.

Fall and winter conditions and wintering of herbaceous plants of Samarkand Province. Uzb.biol.zhur. no.6:20-25 '61. (MIRA 15:2)

1. Samarkhandskiy gosudarstvennyy universitet imeni Alishera Navoi.
(Samarkand Province--Grasses)

KHAMIDOV, A.

Vitality and productivity of weed seeds in fall and winter.
Uzb. biol. zhur. 9 no.2:45-47 '65. (MIRA 18:5)

1. Tashkentskiy gosudarstvennyy pedagogicheskiy institut.

KOSHEVNIKOV, Georgiy Antonovich, akademik; KHAMIDOV, Aslam, kand.
tekhn. nauk; KOTOV, Vladimir Fedorovich; GERASIMOV, Mikhail
Fedorovich; BASEVICH, Lev Yofimovich; BUTYRIN, Aleksandr
Vasil'yevich; RAYEV, Boris Grigor'yevich; BONDARENKO, M., red.;
SALAKHUTDINOVA, A., tekhn. red.

[Machinery for cultivating cotton] Mashiny dlia vozdeleyvaniia
khlopchatnika. Tashkent, Gosizdat UzSSR, 1961. 182 p.

(MIRA 15:7)

1. Nachal'nik otдела Gosudarstvennogo spetsial'nogo konstruk-
torskogo byuro (for Kotov). 2. Rukovoditel' gruppy gosudar-
stvennogo spetsial'nogo konstruktorskogo byuro po khlopku (for
Basevich, Rayev).

(Cotton machinery)

KHAMIDOV, A.A.

Theory of jets of heavy liquid. Izv. AN Uz. SSR. Ser. tekhn.
nauk 8 no.5:51-62 '64. (MIRA 18:2)

1. Institut mekhaniki AN UzSSR.

KHAMIDOV, A. Kh.

KHAMIDOV, A. Kh. "The Principles of Organization of the Dispatcher Administration of a Complex Irrigation-Power System (with a Reservoir)." Published by the Acad Sci Uzbek SSR. Power Engineering Inst. Tashkent, 1956. (Dissertation for the Degree of Candidate in Technical Science)

So: Knizhnaya Letopis', No. 18, 1956,